

情報工学実験4: データマイニング班

(week 2) 機械学習概観

1. 機械学習の定義
2. 専門用語
3. 問題設定例(分類, 回帰, クラスタリング)
4. 検討課題
5. 問題設定サマリ
6. 機械学習の種別
7. クイックスタート(scikit-learn)

実験ページ: <http://ie.u-ryukyu.ac.jp/~tnal/2019/info4/dm/>


Definition of Machine Learning

- Arthur Samuel (1959)
 - Field of study that gives computers the ability to learn without being explicitly programmed.
- Tom Mitchell (1998)
 - A computer program is said to learn from **experience E** with respect to some class of **tasks T** and **performance measure P**, if its performance at tasks in T, as measured by P, improves with experience E.

Terminology


- ML types
 - supervised, unsupervised, semi-supervised
 - (reinforcement learning, genetic algorithm,,,))
 - Task types
 - classification, regression, clustering
 - sample
 - features, attributes
 - numerical value
 - categorical value
 - true or false
 - supervisory signal, teacher, class, label, target variable
- input, output
 - Input types
 - training data / training set
 - test (for evaluation)
 - validation (for hyper params)
 - model
 - parameters
 - hyper parameters
 - weights, parameters
 - learn, fit
 - predict, estimate
 - evaluation
 - open or close test
 - cross validation

Types of Machine Learning Algorithms



Scikit-learn algorithm cheat-sheet

scikit-learn
algorithm cheat-sheet



<https://bit.ly/1xDsim>

Example: *Iris* flower data set

http://en.wikipedia.org/wiki/Iris_flower_data_set

- (1) What is experience E ?
- (2) What is task T ?
- (3) How to measure the performance P ?

• Classification

– In Classification, the samples belong to two or more classes and we want to learn from already labeled data how to predict the class of unlabeled data.

– E.g., distinguishes the species from each other.

– Dataset = **samples** vs. **features** and **classes**

- Input data, X

- 4 features or attributes

- Teach data

- supervisory signal

- output data, Y

- target

- 1 class in 3 classes

Fisher's *Iris* Data

Sepal length \diamond	Sepal width \diamond	Petal length \diamond	Petal width \diamond	Species \diamond
5.1	3.5	1.4	0.2	<i>I. setosa</i>
4.9	3.0	1.4	0.2	<i>I. setosa</i>
4.7	3.2	1.3	0.2	<i>I. setosa</i>
4.6	3.1	1.5	0.2	<i>I. setosa</i>
5.0	3.6	1.4	0.2	<i>I. setosa</i>

1 sample

Example: boston house prices dataset

<http://archive.ics.uci.edu/ml/datasets/Housing>

- (1) What is experience E?
- (2) What is task T?
- (3) How to measure the performance P?

• Regression

- If the desired output consists of one or more continuous variables, then the task is called *regression*.
- E.g., concerns housing values in suburbs of Boston.
- Dataset = **samples** vs. **features** and **continuous variables**

13 features

Continuous variable

CRIM	ZN	INDUS	(中略)	LSTAT	MEDV
6.32E-03	1.80E+01	2.31E+00		4.98E+00	24.00
2.73E-02	0.00E+00	7.07E+00		9.14E+00	21.60
2.73E-02	0.00E+00	7.07E+00		4.03E+00	34.70

1 sample

Example: *Overview of clustering methods*

<https://scikit-learn.org/stable/modules/clustering.html>


(1) What is experience E?

(2) What is task T?

(3) How to measure the performance P?

• Clustering

- Clustering is the task of grouping a set of objects in such a way that objects in the same group (called a **cluster**) are more similar (in some sense or another) to each other than to those in other groups (clusters).
- Training data consists of a set of input vectors x **without any corresponding target values**.
- Dataset = **samples** vs. **features**



Exercises

- Make a group of 2~4 students.
 - Choose one kind of problem settings on machine learning.
 - Try to design an example under the problem setting.
 - Input? Features? Output?
 - What is experience E ?
 - What is task T ?
 - How to measure the performance P ?

Machine Learning: the problem setting

<http://scikit-learn.org/stable/tutorial/basic/tutorial.html>

- In general, a learning problem considers a set of n samples of data and then tries to predict properties of unknown data. If each sample is more than a single number and, for instance, a multi-dimensional entry (aka multivariate data), is it said to have several attributes or features.

Types of Machine Learning

- Targets of this class
 - Supervised Learning
 - Classification
 - Regression
 - Unsupervised Learning
 - Clustering
 - (Semi-supervised Learning)

- Others
 - Principal component analysis
 - Reinforcement Learning
 - Artificial Neural Networks
 - Genetic Algorithm
 - Recommender System
 - Decision Trees
 - ...

Quick Start

- <http://scikit-learn.org/stable/tutorial/basic/tutorial.html>
 - Google: scikit-learn
 - Documentation
 - Quick start